5019_102_00270_INSTAL_GB 6-11-2007 10:45 Pagina 1

KRWS 9010

Assembly instructions

FOR THE WAY IT'S MADE.®

5019_102_00270_INSTAL_GB 6-11-2007 10:45 Pagina 2

5019_102_00270_INSTAL_GB 6-11-2007 10:45 Pagina 3

Installation kit supplied **4**

Wine drawer overall dimension **5**

Installation kit **6**

Preparation of the cabinet for inserting the wine drawer **8**

Fitting the two brackets supplied in the installation kit **9, 10**

Inserting the wine drawer in the cabinet **13**

Inserting the corrugated plastic sheet covering **16**

Installation completed **17**

Installation kit supplied

The wine drawer is designed for built-in installation and must not be used as a free-standing unit. Installation and maintenance must be carried out by at least two qualified technicians.

INSTALL THE WINE DRAWER ONLY IN POSITION UNDER THE KITCHEN WORKTOP.

Make sure the wine drawer is fixed to the adjacent cabinet with the brackets supplied.

DO NOT INSTALL THE WINE DRAWER IN A COLUMN.
DO NOT INSTALL THE WINE DRAWER ON ITS OWN OR IN A SINGLE CABINET.

Otherwise the wine drawer will be unstable, with risk of tipping over and consequent injury or damage.

Do not start this electrical appliance if it is damaged, does not work properly, is partially disassembled or if there are broken or missing components, including damaged cable or power socket.

Make sure the power cable is in a position where it cannot be trodden on, tripped over, damaged or undergo strain.

Do not install or store the appliance in places where it can be exposed to bad weather or temperatures below freezing.

The min. area in the base board for the passage of air must be at least 200 cm2.

Wine drawer overall dimension



Installation kit



SCALE 1:5



SCALE 1:2

SCALE 1:2



SCALE 1:1



SCALE 1:1



SCALE 1:5

5019_102_00270_INSTAL_GB 6-11-2007 10:45 Pagina 6


860-868 max.
550 min.


330
302
145
547
850
510
900
350 min.

Preparation of the cabinet for inserting the wine drawer



Fitting the two brackets supplied in the installation kit





VERT.-VERT SECTION

5019_102_00270_INSTAL_GB 6-11-2007 10:45 Pagina 9

Fitting the two brackets supplied in the installation kit




N° 2 SIDE ADHESIVE
SCALE 29:200
SCALE 29:200


VERT.-VERT. SECTION
SEE DETAIL X
DETAIL X
SCALE 1:1
DETAIL Y
SCALE 1:1
SEE DETAIL Y
354 MIN.
897
VERT.
VERT.
897

Inserting the wine drawer in the cabinet





1. INSERT THE WINE DRAWER IN THE CABINET
   POSITIONING IT SO THAT THE DRAWER SEAL EDGE IS 44 mm. FROM THE FRONT SIDE OF THE CABINET USING THE SPECIAL TEMPLATE SUPPLIED.
2. THEN FIX THE WINE DRAWER TO THE CABINET WITH THE SCREWS SUPPLIED.







REPARATION OF THE CORRUGATED PLASTIC SHEET COVERING SUPPLIED IN THE INSTALLATION KIT

A	B
704	1
716	2
717	2
720	2
722	2
728	3
850	4

Inserting the corrugated plastic sheet covering



Installation completed



5019_102_00270_INSTAL_GB 6-11-2007 10:45 Pagina 18

5019_102_00270_INSTAL_GB 6-11-2007 10:45 Pagina 19

5019_102_00270_INSTAL_GB 6-11-2007 10:45 Pagina 20

Printed in Italy
11/07

5019 102 00270

GB